

SAFETY DATA SHEET

In According with 3rd revision GHS SDS

Section 1 – Identification

Product Name	: POLIMAXX® Polypropylene Copolymer Plastic Resin					
Chemical Name and Synonyms: Polypropylene, polypropylene copolymer with ethylene as comonomer						
	propylene-ethylene copolymer, ethylene-propylene copolymer, PP					
Chemical Formula	: $(C_3H_6)n + (C_2H_4)x$					
Product Code	: All Grades (2100N, 2300K, 2300LC, 2363LC, 2300NC, 2300NCA, 2300SC, 2440TC,					
	2500H, 2500K, 2500M, 2540S, 2500PC, 2500TC, 3300RC, 3340H, 3325M, 3342M,					
	3342R, 3370RM, 3375RM, 3375SM, 3140NN, 3240RR, 5175SM)					
Product Use	: Raw material for plastic industry, Resin, extrusion and compounding, plastic					
	molding, molded articles, films and coatings					
Manufacturer	: IRPC (Public) CO., LTD.					
	299 Moo 5 Sukhumvit Road Amphur Muang Rayong Thailand					
Emergency Call	: +66(0) 38 802560					
Website	: www.irpc.co.th, www.irpcmarket.com					
Section 2- Hazards Identification						

Regulation (EC) No 1272/2008: This product is not classified as dangerous according to Regulation (EC) No 1272/2008.

Directive 67/548/EEC :This product is not classified as dangerous according to EU Directive 67/548/EEC.Regulation (EC) No 1907/2006:This product is complied REACH Regulation (EC) No 1907/2006.GHS:Not classified

Label elements	:	Not applicable
Other hazards	:	Not applicable

Section 3 - Composition / Information on Ingredients

Chemical Name	CAS Number	EC Number	Percent weight
Polypropylene	9003-07-0	Polymer	≥90
Propylene Ethylene Copolymer	9010-79-1	Polymer	≤ 10

Section 4 – First-aid Measures

Skin Exposure	: If molten material comes in contact with the skin, cool under ice water or a running stream of water. DO NOT attempt to remove the material from the skin. Remove could result in serve tissue damage. Get medical attention.
Eyes Exposure	: If molten material should splash into eyes, flush eyes immediately with fresh water for 15 minutes while holding the eyelid open. Remove contact lenses, if worn. Get immediate medical attention.
Inhalation	: Move the exposed person to fresh air. If breathing is difficult, give oxygen. Get medical attention if breathing difficulties continue.
Ingestion	: Not a probable route of exposure. If person is conscious, rinse mouth with water. Do not induce vomiting unless directed to do so by a physician.

โRFC บริษัท ไออาร์พีซี จำกัด (มหาชน)

555/2 กูมย์เอนเนอร์ยี่กอมเพล็กซ์ อาคาร มี ชั้น 6 กนนอิกาวดีรับสิต เขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โกร. +66(0) 2649-7000,66(0)2649-7777 แฟ็กซ์: +66(0)2649-7002 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0)2649-7000,66(0)2649-7777 FAX: +66(0)2649-7002 www.irpc.co.th, www.irpcmarket.com



Section 5 – Fire-fighting Measures

 its : Dry chemical, foam, water fog or carbon dioxide. Avoid using direct streams of water on molten burning material g : Carbon monoxide, carbon dioxide, original monomer other hydrocarbon.
: Use a mask with universal filler. Use self-contained breathing apparatus and full protective clothing.
lease Measures
: Avoid inhalation and direct contact.
: Discharge into the environment must be avoided.
: Collect spilled material using a method that minimizes dust generation (e.g., wet methods, HEPA vacuum). Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.
Storage
: Use with adequate ventilation. Avoid dust generation. Avoid contact with eyes and skin. Accumulations of dust should be removed from settling areas.
: Store in a cool, dry, well-ventilated area or silo away from sources of heat, flame and sparks. Ventilate enclosed storage areas, such as trailers and railcars, before entering. Have emergency equipment for fires and spills readily available.
1

Section 8 - Exposure Controls / Personal Protection

Exposure limits

Component Name		Reference	TWA		
		Kelerence	ppm	mg/m3	
Propylene Ethylene copolym		Italy-0EL	-	10	
	21	Canada-OEL	-	10	
Delementer		Italy-OEL	-	10	
Polypropylene		Canada-OEL	-	10	

Personal protective equipments

Respiratory protection	: No special respiration protection is normally required.
Eye protection	: Wear safety glasses with side shields, goggles or face shield.
Protective clothing	: Gloves required when handling hot material. In case of fire, wear MSHA/NIOSH
	approved self-contained breathing apparatus or equivalent and full protective gear.
Ventilation	: Provide adequate ventilation when processing material at elevated temperatures.
Other protective equipm	ents: N.A
Engineering Controls	: For molten materials: Provide mechanical ventilation; in general such
	ventilationshould be provided at compounding/ converting areas and at
	fabricating/ filling work stations where the material is heated. Local exhaust
	ventilation should be used over and in the vicinity of machinery involved in
	handling the molten material.

้เกคาว บริษัท ไออาร์พีซี จำกัด (มหาชน)

555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคาร บี ชั้น 6 ถนนวิกาวดีรับสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โกร. +66(0)2649-7000,66(0)2649-7777 แพ็กซ์: +66(0)2649-7002 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0)2649-7700,66(0)2649-7777 FAX: +66(0)2649-7002 www.irpc.co.th, www.irpcmarket.com



Section 9-Physical and Chemical Properties

PHYSICAL DESCRIPTION:	Opaque, translucent, colorless pellets or white fluff (powder), solid			
pH:	not applicable			
VAPOR PRESURE:	not applicable			
BOILING POINT:	not applicable			
MELTING POINT:	130-170°C			
FLASH PINT:	348 °C (ASTM D1929)			
AUTOIGNITION:	380 °C			
SOLUBILITY:	Insoluble in water			
SPECIFIC GRAVITY:	0.85-0.95			
DENSITY:	0.85-0.95 g/cm ³			
BULK DENSITY	400(powder)-600(pellet) kg/m ³			
EVAPORATION RATE :	not applicable			
VOLATILE MATTER (wt):	< 0.1%			
WATER ABSORPTION (wt	;) : < 0.05%			
Section 10 – Stability an	nd Reactivity			
Chemical Stability	: This material is considered a stable thermoplastic, with no chemical reactivity under normal ambient and anticipated handling conditions of temperature and pressure.			
Condition to Avoid	: Avoid heating above the recommended processing temperature. DO NOT heat without adequate ventilation.			
Material to Avoid	: May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc. May react with free halogens.			

Dangerous decomposition: Small quantities of low molecular weight hydrocarbons, alcohols, aldehydes (incl. Formaldehyde), carboxylic acids, carbon oxides and ketones can be formed during thermal processing.

Hazardous polymerization products: Hazardous polymerization will not occur.

Section 11 - Toxicological Information

Acute Toxicity

Chemical name		name Route Species		Acute Toxic Value	
Polypropylene		Oral	Rat	LD ₅₀ > 8,000 mg/kg	

Irritating/corrosive effectsEye Irritation: Solid particles may cause transient irritation from mechanical abrasion.

Skin Irritation Inhalation

Ingestion

Not a likely route of exposure. Process fumes may cause irritationMay cause a choking hazard if swallowed.

Other information

Carcinogenic effect:

International Agency for Research on Cancer (IARC): Group 3

:

NOT classifiable as to its carcinogenicity to humans.

Not expected to cause skin irritation. Molten material may cause thermal burns.

โRPC บริษัท ไออาร์พีซี จำกัด (มหาชน)

555/2 คูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคาร บี ชั้น 6 ถนนวิกาวดีรับสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โกร. +66(0)2649-7000,66(0)2649-7777 แพ็กซ์: +66(0)2649-7002 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0)2649-7000,66(0)2649-7777 FAX: +66(0)2649-7002 www.irpc.co.th, www.irpcmarket.com



Section 12 – Ecological Information

Eco-toxicity	: No relevant studies identified.
Persistence and degradability	: This material is not expected to be readily biodegradable.
Bio-accumulive potential	: Product is not likely to accumulate in biological organisms.
Mobility in soil	: No relevant studies identified.
Other adverse effects	: This substance is not in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

Section 13 – Disposal Considerations

Disposal Methods:

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or Incineration in a licenced apparatus (after admixture with suitable combustible material). Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

Section 14 - Transport Information

Regulatory information	UN number	Classes	Packing group	Label	Additional information
DOT	Not regulated	-	-	-	-
ADR / RID	Not regulated	-	-	-	-
IMDG CODE	Not regulated	-	-	-	-
ICAO / IATA	Not regulated	-	-	-	-

Section 15 – Regulatory Information

US. Toxic Substances Control Act

All components of this product are on the TSCA Inventory.

European Inventory of Existing Commercial Chemical Substances (EINECS)

The components of this product are on the EINECS inventory or are exempt from inventory requirements.

EU Directives 67/548/EEC, 1999/45/EC and Regulation (EC) No 1272/2008

The product is not classified as dangerous for supply according to the Regulation (EC) No 1272/2008and the EC directive 67/548/EEC and 1999/45/EC.

NFPA - USA

Health – 1, Flammability – 1, Reactivity – 0

HMIS - USA


Health – 1, Flammability – 1, Reactivity – 0

Canada - WHMIS

This product does not meet WHMIS classification criteria.

Canada - DSL

This product is listed in DSL.



55/2 กูมย์เอนเบอร์ยี่คอมเพล็กซ์ อาคาร บี ชั้น 6 กนนอิกาวดีรับสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โกร. +66(0) 2649-7000,66(0)2649-7777 แฟ็กซ์: +66(0)2649-7002 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0)2649-7000,66(0)2649-7777 FAX: +66(0)2649-7002 www.irpc.co.th, www.irpcmarket.com



Section 16 - Other Information

The information in this document is based on our best present. Nevertheless, it does not constitute a guarantee for any specific product features and does not establish any a legally binding contract.

DOT	:	Department of Transportation
ADR	:	European agreement concerning the international carriage of dangerous goods by road.
RID	:	Regulations concerning the international carriage of dangerous goods by rail.
IMDG – CODE	:	International maritime dangerous goods code
ICAO	:	International Civil Aviation Organization
IATA	:	International air transport association
GHS	:	Globally Harmonized System of Classification and Labeling of Chemicals
NFPA	:	National Fire Protection Association
HMIS	:	Hazardous Materials Identification System
WHMIS	:	Workplace Hazardous Materials Information System
DSL	:	Domestic Substances List

The information above is believed to be accurate and represents the best of our knowledge, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

IRPC บริษัท ไออาร์พีซี จำกัด (มหาชน) 555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคาร บี มั้น 6 ถนนวิกาวดีรังสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โกร. +66(0)2649-7000,66(0)2649-7777 แฟ็กซ์: +66(0)2649-7002

IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0)2649-7000,66(0)2649-7777 FAX:+66(0)2649-7002 www.irpc.co.th, www.irpcmarket.com